

China Wholesale High Purity Cylinder Gas Pure SF6 Sulphur Hexafluoride

Basic Information

Place of Origin: China
Brand Name: CMC
Certification: COA
Model Number: SF6
Minimum Order Quantity: 1kg

Price: US \$ 9.5/kg
Packaging Details: Cylinder
Delivery Time: 15 days
Payment Terms: L/C, T/T

• Supply Ability: 5000 Tons/Year



Product Specification

Product Name: Sulfur Hexafluoride
Valve: Qf-2, Cga590
Cylinder Pressure: 15MPa/20MPa
Cylinder Standard: GB/ISO/DOT
Melting Point: -50.8 °C
Boiling Point: -63.8 °C

Appearance: Colorless, Odorless
 Transport Package: Sea Transportation
 Specification: 40L, 47L, 50L, 500L Etc

• Trademark: CMC

Origin: Suzhou, China
HS Code: 28129019
Supply Ability: 5000tons/Year
CAS No.: 2551-62-4
Formula: Sf6



More Images









Product Description

Pure Sulphur Hexafluoride Gas SF6 Gas Cylinder Bottle OEM

Sulfur hexafluoride (SF₆) is an inorganic compound composed of one sulfur atom bonded to six fluorine atoms. It is a colorless, nonflammable, and non-toxic gas. SF₆ has a high density, similar to that of air, and is commonly used as an insulating material in electrical equipment due to its excellent electrical insulation properties.

Here are some key characteristics and applications of sulfur hexafluoride:

Insulating gas: SF₆ is widely used as an insulating gas in high-voltage electrical equipment such as circuit breakers, switches, and transformers. It prevents electrical discharges and insulates the equipment, allowing for efficient and reliable operation.

Dielectric properties: SF₆ has exceptional dielectric strength, meaning it can withstand high electric fields without breaking down. This property makes it suitable for use in high-voltage applications, where it helps to prevent electrical arcing and corona discharges.

Medical applications: Sulfur hexafluoride is used in medical imaging techniques such as ultrasound and MRI (Magnetic Resonance Imaging). In ultrasound, it is used as a contrast agent to enhance the visibility of blood vessels and organs. In MRI, SF 6 is used to fill the sealed cavities of respiratory systems to improve image quality.

Industrial uses: SF₆ finds applications in various industries. It is used as a tracer gas in leak detection systems for enclosed spaces, such as buildings or manufacturing facilities, to identify and locate gas leaks. SF6 is also used in the production of semiconductors and electronic

Environmental impact: Sulfur hexafluoride is a potent greenhouse gas with a high global warming potential (GWP). It has a long atmospheric lifetime, contributing to its impact on climate change. Efforts are being made to reduce its emissions, and alternative gases with lower environmental impact are being explored for use in electrical equipment.

It's important to handle SF₆ with care and follow appropriate safety measures to prevent its release into the atmosphere.

Basic Info

DOT Class Un 1080 2.2 Un Number Cylinder Standard DOT/ISO/GB Cylinder Pressure 15MPa/20MPa Melting Point Qf-2, Cga590 -50.8 ºC Appearance Colorless, Odorless Boiling Point -63.8 ºC Density 6.0886 Kg/M³ Molecular Weight 146.05 Transport Package 40L, 47L, 50L, 500L Specification 99.995%, 99.999%

Trademark CMC Origin China HS Code 28129019 Production Capacity 5000tons/Year


Specifications

Specifications	Company Standard
SF6	≥ 99.995%
Air	≤ 10 ppm
CF4	≤ 2 ppm
C2F6	≤ 20 ppm
C3F8	≤ 5 ppm
Low Sulfide	Not Detected
H2O	≤ 1 ppm
Acidity as HF	≤ 0.1 ppm
Hydrolysable Fluor ides as HF	≤ 0.3 ppm
Mineral Oil	≤ 1 ppm

Detailed Photos

液化六氟化硫SF6









Company

Profile



Shanghai Kemike Chemical Co., Ltd is staffed by trained personnel, combine many years experience in Gas industry .We

supply cylinder gas, electronic gas, etc., and the gas holder, panel, valves and fittings and other equipment, parts and engineering services to our customers in China and worldwide; The products are involved in various industrial fields, such as semiconductor chip, solar cell, LED, TFT-LCD, optical fiber, glass, laser, medicine, etc., Our mission is to partner with our global customers to provide support, solutions and quality products that are innovative, reliable, and safe. Our products mainly include: H2, O2, N2, Ar, CO2, propane, acetylene, helium, laser mixed gas, SiH4, Sih2cl2, SiHCL3, SiCL4, NH3, CF4, NF3, SF6, HCL, N2O, doping mixed gas (TMB, PH3, B2H6) and other electronic gases.

CH3F H₂S WF6 F6+CI2 SiCI4 NH₃ SiH4 NH₃ Kr HCI+Ne C3F8 **TEOS** SF₆ C2 4MS C3F8 CH4 PH₃ SiH₂ TMB+H2 CF4 C4F8 SiF4 **C3H8** CI2 He +As DCE Ge+Se **C3H6** BBr3 POCI3 N₂ **SO2** D+B CO+NO BC₁₃ D2 CO2 SiHCI3 CH2F2 AsH3 **C2H4** C2H2 HBr COS Ar+O2 HF Xe+NO **TMAI DMZn** DEZn GeH4 **C2H6 B2H6** H2Se GeCI4





